



SANITIZER 200

10% active, multi-chain (4) quaternary

Sanitizing 200ppm active, 500ppm hardness (CaCO₃)

5% serum contamination

Aerobacter aerogenes
Aspergillus niger
Brucella abortus
Burkholderia cepacia
Camphylobacter jejuni
Clostridium sporogenes
E. Coli 0157:H7
Enterococcus faecium (Vancomycin resistant – VRE)
Klebsiella pneumoniae
Lactobacillus casei
Listeria monocytogenes
Monilia albicans
Mycobacterium smegmatis
Neisseria catarrhalis
Pasteurella multocida
Penicillium luteum
Penicillium notatum
Pityrosporum ovale
Proteus mirabilis
Proteus vulgaris
Pseudomonas aeruginosa
Salmonella gallinarium
Salmonella choleraesius
Salmonella typhimurium
Salmonella typhosa
Shigella sonnei
Staphylococcus aureus
Staphylococcus aureus – methicillin resistant
Streptococcus faecalis
Streptococcus pyogenes
Streptococcus viridans
Yersenia enterocolitica

Trichophyton interdigitale
Trichophyton mentagrophytes
Saccharomyces cervisiae

Avian influenza A/Turkey/Wisconsin
Herpes simplex Type 1 and Type 2
HIV-1 (AIDS virus)
Influenza A₂/Japan
Influenza A₂/Hong Kong
Laryngotracheitis virus
Newcastle disease virus
Vaccinia virus
Porcine rotavirus
Transmissible Gastroenteritis -(corona virus/TGE)
Canine Distemper
Canine coronavirus
Human coronavirus
Porcine Respiratory & Reproductive virus (PRRS)
Pseudorabies virus
Parvo virus
Infectious Bovine Rhinotracheitis (IBR)

NOTE: This list is based on current available information and is not exhaustive, but is merely intended to cover the most requested or common micro information. Specific organisms and/or viruses not listed may already be tested and are available on request. Don't see your "bug?" Just ask!

March 2006